



This lot of product meets the accepted performance criteria recommended in the USP, ISO 11138-1 and ISO 11138-3.

Product Name: Spore Wires

For use in Monitoring: Steam

Organism: *Geobacillus stearothermophilus*

Derived from: ATCC® 7953

LOT S74-3

REF WTB-06

Quantity: 100 Wires

2018-10-25

2020-10-25 (YYYY-MM-DD)

Performance Characteristics

Population: 2.0×10^6 per Wire

D value	Survival	Kill
Steam 121°C: 1.7 minutes	7.4 minutes	17.5 minutes

The *D* value(s) were determined per the fraction negative method and are reproducible only when exposed and cultured under the exact conditions used to obtain results reported above. The user would not necessarily obtain the same results, therefore, should determine the suitability for their particular use.

z value:	9.5°C	Based on <i>D</i> value determinations at 118°C, 121°C and 130°C.
----------	-------	---

Recovery

After exposure to the sterilization process, aseptically transfer each carrier to an individual tube containing 5-15 mL of Soybean Casein Digest Broth (SCDB). Incubate at 55° - 65°C for a minimum of 7 days or per validated reduced incubation time.

Examine tubes for growth, daily or as frequently as possible. Tubes showing typical growth of *Geobacillus stearothermophilus* will display a cream-colored sediment.

Purity: Shall not contain any contamination that would adversely affect the performance or the stability characteristics of the biological indicator.

Storage and Shelf Life

	Room Temperature (15° - 30°C)		Keep away from sunlight
	20% to 80% Relative Humidity		Protect from heat, radioactive sources, and sterilizing agents
Shelf Life	24 Months from the date of manufacture		

Disposal: Autoclave, steam at 121°C for not less than 30 minutes, or incinerate (standard microbial waste; non-pathogenic species).

QUALITY ASSURANCE APPROVAL

July 9, 2021

DATE